GALDERMA
Title
43USC1633 SAP

MA-34314

Print date:

2019-03-08 13:07

STATISTICAL ANALYSIS PLAN

CLINICAL TRIAL NUMBER: 43USC1633

A Multicenter, Open-Label, Prospective Study of Cannula Injection of Restylane® Lyft with Lidocaine for Cheek Augmentation and the Correction of Age Related Midface Contour Deficiencies.

♣ GALDERMA

Title
43USC1633 SAP

Doc id

MA-34314

Table of Contents

1	Stud	y Information	4
	1.1	Background	4
	1.1.1	Study design	4
	1.1.2	Number of subjects and randomization	4
	1.2	Study Objective	4
	1.3	Efficacy Assessments	4
	1.4	Efficacy endpoints	6
	1.5	Safety Assessments	6
	1.5.1	Adverse events	6
	1.5.2	Evaluation of midface sensation	7
	1.5.3	Evaluation of midface firmness, symmetry and function	7
	1.5.4	Assessment of mass formation	7
	1.5.5	Assessment of palpability	7
	1.6	Safety Endpoints	8
2	Stati	stical Methods	9
	2.1	General Methods	9
	2.2	Analysis Populations	9
	2.3	Study Subjects	9
	2.3.1	Accountability and subject disposition	9
	2.3.2	Withdrawals and protocol deviations	9
	2.3.3	Demographic characteristics	LO
	2.3.4	Medical and surgical history, concomitant medication/procedures 1	١0
	2.4	Efficacy Analysis	LO

♣ GALDERMA	Title 43USC1633 SAP	Doc id
•• GALDERMA		MA-34314

	2.4.1	Handling of missing data	10
	2.4.2	2 Analysis of responder rates	10
	2.5	Safety Analysis	10
	2.5.1	Extent of exposure	10
	2.5.2	2 Adverse events	11
	2.5.3	Pre-defined expected post-treatment events	11
	2.5.4	Other safety assessments	11
	2.6	Subgroup analyses	12
	2.7	Interim Analysis	12
	2.8	Determination of Sample Size	12
	2.9	Changes in the Analysis Planned in the Protocol	12
3 4		rence Listned Tables and Figures	

Table of tables



Print date:

2019-03-08 13:07

Study Information 1

Background 1.1

1.1.1 Study design

This is a multicenter, open-label, 16-week prospective study of Restylane Lyft with Lidocaine for cheek augmentation and the correction of age related midface contour deficiency.

Eligible subjects will be injected by the Treating Investigator at Day 1. Subjects' midface will be treated to optimal augmentation. After treatment on Day1, a 72 hour phone call and follow-up visits at 2, 4, 8 and 16 weeks are scheduled. At the 16-week visit after all study procedures for the visit are completed, subjects can receive an optional additional treatment if optimal aesthetic improvement is not maintained.

1.1.2 Number of subjects and randomization

Approximately 60 subjects will be enrolled. The study is not randomized; all subjects will be treated with Restylane® Lyft with Lidocaine

1.2 **Study Objective**

The primary objective of the study is to assess the adverse events of Restylane Lyft with Lidocaine for cheek augmentation and the correction of age related midface contour deficiency.


1.3 **Efficacy Assessments**

For all assessments, baseline will be defined as the observation that is closest to but prior to study treatment on Day 1. Likewise, change from baseline will be calculated as the value at a given time point minus the baseline value.




GALDERMA Title 43USC1633 SAP MA-34314	
--	--






♣ GALDERMA	Title 43USC1633 SAP	Doc id MA-34314



Efficacy endpoints 1.4

The efficacy endpoints that will be used for analysis are given below. Responder rates will be calculated as the number of responders divided by the number of subjects with a non-missing value for the specified assessment and time point in the intention-to-treat (ITT) population.



1.5 **Safety Assessments**

1.5.1 Adverse events

The methods for collecting safety data are described in Section 8 of the Clinical Study Protocol (CSP) and include assessments of Injection site reactions in Subject Diary, Adverse Events (AE), Serious Adverse Events (SAE), and Device Deficiency.

A two-point scale ("Yes" or "No" response) will be used for the causality assessments. The Investigator should be asked to indicate a response to each of the following questions in the eCRF:

- "Do you consider that there is a reasonable possibility that the event may have been caused by the study product?"
- "Do you consider that there is a reasonable possibility that the event may have been caused by the injection procedure?"

GALDERMA
Title
43USC1633 SAP


MA-34314

Print date:

2019-03-08 13:07

If any of these questions is answered with a 'Yes', the AE will be considered related. These assessments will also be reviewed by the Sponsor. In the case of a disagreement, the AE will be classified as "Related".

1.5.2 Evaluation of midface sensation



Midface sensation will be assessed at screening/baseline and at all physical visits.



Doc id 43USC1633 SAP ♣ GALDERMA **MA-34314**

1.6 **Safety Endpoints**

Safety endpoints include:

- (v) Incidence, intensity, onset, and duration of all adverse events (AEs) as collected throughout the study
- (vi) Incidence, intensity and duration of pre-defined, expected, post-treatment events reported during the first 2 weeks after treatment as recorded in the subject diary
- (vii) Incidence of abnormal midface sensation

Doc id 43USC1633 SAP GALDERMA MA-34314


Print date:

2019-03-08 13:07

2 **Statistical Methods**

2.1 **General Methods**

All statistical analyses, including summary tables and data listings, will be performed using the SAS system (version 9.4 or later).



Any change made to the finalized statistical analysis plan (SAP) will be documented in the Clinical Study Report (CSR).

2.2 **Analysis Populations**

The following population will be defined:

- Includes all subjects who were injected at least once. Safety
- Intention-to-treat (ITT)

Safety population will be the basis for all safety evaluations. When performing effectiveness analysis, the ITT population will be used. In case these two populations are identical, all analyses will be performed using the safety population.

2.3 **Study Subjects**

2.3.1 Accountability and subject disposition

The number of subjects in each study population will be summarized by site Study population variables will also be presented in a data listing.

The disposition and subject accountability will be presented as shown in

2.3.2 Withdrawals and protocol deviations

All withdrawn subjects will be listed individually, including at least subject number, date and reason for withdrawal, treatment date, and last visit performed.

Subjects with CSP deviations will be summarized

Deviations from the SAP will be documented in the CSR.

2019-03-08 13:07

Print date:

♣ GALDERMA	Title 43USC1633 SAP	Doc id MA-34314

2.3.3 Demographic characteristics

Subject demographic data will be summarized for the safety population as shown in

Medical and surgical history, concomitant medication/procedures 2.3.4

All summaries will be done based on the safety population. Concomitant medications will be coded using the World Health Organization (WHO) Drug Dictionary. Medical History will be coded according to MedDRA.

The number and percent of subjects reporting medical history will be summarized as shown in

Reasons for concomitant procedures/treatments will be summarized as shown in

Data on concomitant medications will be summarized as shown in

2.4 **Efficacy Analysis**

2.4.1 Handling of missing data

All efficacy endpoints will be analyzed on available data, i.e. no imputations will be done.

2.4.2 Analysis of responder rates

Safety Analysis 2.5

2.5.1 Extent of exposure

Injection volume will be presented for initial treatment and optional re-treatment.


• 641 555444	Title 43USC1633 SAP	Doc id
♣ GALDERMA		MA-34314

2.5.2 Adverse events

All AEs will be coded according to MedDRA and summarized by system organ class (SOC) and preferred term (PT).

The AE data will be presented as shown in to to to to to the control of the contr

Doc id 43USC1633 SAP GALDERMA **MA-34314**




2.7 **Interim Analysis**

Not applicable.

2.8 **Determination of Sample Size**

Sixty subjects were chosen to be enrolled in this study with the aim of fifty subjects completing the study. The sample size has been established based on the probability of detecting an AE given the true population rate of 5%. This 5% criterion has been selected based on this value representing the point-estimate cut-off AE rate for inclusion in product labelling.



2.9 **Changes in the Analysis Planned in the Protocol**

For the primary safety endpoints, onset of adverse events has been added.

Text in CSP (Section 3.1.1):

"... incidence, intensity, and duration of all adverse events (AEs) as collected throughout the study..."

Text in this SAP (Section 1.6):

"Incidence, intensity, onset, and duration of all adverse events (AEs) as collected throughout the study"



3 Reference List




Planned Tables and Figures 4

GALDERMA Title 43USC1633 SAP MA-34314
--

Table of figures




Doc id GALDERMA 43USC1633 SAP MA-34314






Page **16** of **51**






♣ GALDERMA	Title 43USC1633 SAP	Doc id MA-34314
------------	---------------------	-----------------



Page **18** of **51**

GALDERMA
Title
43USC1633 SAP

MA-34314



Page **19** of **51**

• CALDEDAAA	Title 43USC1633 SAP	Doc id
•• GALDERMA		MA-34314



Page **20** of **51**

♣ GALDERMA	Title 43USC1633 SAP	Doc id MA-34314
------------	---------------------	-----------------



Page **21** of **51**

♣ GA	ALDERMA	Title 43USC1633 SAP	Doc id MA-34314



Page **22** of **51**



Page **23** of **51**

♣ GALDERMA	Title 43USC1633 SAP	Doc id MA-34314
------------	---------------------	-----------------



Page **24** of **51**

♣ GALDERMA	Title 43USC1633 SAP	Doc id MA-34314
------------	---------------------	-----------------




Page **25** of **51**

GALDERMA
Title
43USC1633 SAP

MA-34314

Page **26** of **51**

♣ GALDERMA	Title 43USC1633 SAP	Doc id MA-34314
------------	---------------------	-----------------




Page **27** of **51**

♣ GALDERMA	Title 43USC1633 SAP	Doc id MA-34314
------------	---------------------	-----------------

Page **28** of **51**

GALDERMA
Title
43USC1633 SAP

MA-34314




Page **29** of **51**

	Title 43USC1633 SAP	Doc id
• GALDERMA		MA-34314


Page **30** of **51**

• CALDEDAAA	Title 43USC1633 SAP	Doc id
GALDERMA		MA-34314



Page **31** of **51**


♣ GA	ALDERMA	Title 43USC1633 SAP	Doc id MA-34314



Page **32** of **51**

♣ GALDERMA	Title 43USC1633 SAP	Doc id MA-34314
------------	---------------------	-----------------





Page **33** of **51**

♣ GALDERMA	Title 43USC1633 SAP	Doc id MA-34314
------------	---------------------	-----------------

Page **34** of **51**

• CALDEDAAA	Title 43USC1633 SAP	Doc id
•• GALDERMA		MA-34314




Page **35** of **51**

• CALDEDAAA	Title 43USC1633 SAP	Doc id
♣ GALDERMA		MA-34314



Page **36** of **51**

• GALDERMA	Title 43USC1633 SAP	Doc id MA-34314
------------	---------------------	-----------------



Page **37** of **51**

••	GALDERMA	Title 43USC1633 SAP	Doc id MA-34314



Page **38** of **51**

MA-34314


Page **39** of **51**

GALDERMA
Title
43USC1633 SAP

MA-34314

Page **40** of **51**


♣ GALDERMA	Title 43USC1633 SAP	Doe id MA-34314
------------	---------------------	-----------------



Page **41** of **51**

GALDERMA
Title
43USC1633 SAP

MA-34314



Page **42** of **51**

GALDERMA
Title
43USC1633 SAP

MA-34314



Page **43** of **51**

Print date: 2019-03-08 13:07

GALDERMA


Title

43USC1633 SAP

MA-34314

Page **44** of **51**

♣ GA	ALDERMA	Title 43USC1633 SAP	Doc id MA-34314



Page **45** of **51**

♣ GALDERMA	Title 43USC1633 SAP	Doc id MA-34314
------------	---------------------	-----------------




Page **46** of **51**

• 641 555444	Title 43USC1633 SAP	Doc id
GALDERMA		MA-34314



Page **47** of **51**

♣ GALDERMA	Title 43USC1633 SAP	Doc id
		MA-34314




Page **48** of **51**

♣ GALDERMA	Title 43USC1633 SAP	Doc id MA-34314
------------	---------------------	-----------------



Page **49** of **51**

Doc id MA-34314



Page **50** of **51**

♣ GALDERMA	43USC1633 SAP	Doc id MA-34314
------------	---------------	-----------------



Page **51** of **51**

Title
43USC1633 SAP Doc id ♣ GALDERMA MA-34314

SIGNATURES PAGE

